


REVISIONS	
Δ	
Δ	
Δ	
Δ	



PROJECT:	PROFESSIONAL SEAL
DRAWING NAME	JOB NUMBER: 08033
DATE: 05/16/08	SCALE: AS SHOWN
SCALE: AS SHOWN	DRAWN:
DRAWN:	
DRAWING NAME	
CEILING FRMG & MEZZANINE FLOOR WALL PLAN	
SHEET	
S2.2.2	

- NOTES:
1. REFERENCE ARCHITECTURAL DRAWINGS FOR ADDITIONAL INFORMATION
  2. FOR HEADERS NOT SPECIFIED USE:  
FOR 2x4 STUD FRAMING  
4x4 FOR 0-4 FT  
4x6 FOR 4-6 FT  
4x8 FOR 6-8 FT  
UNLESS NOTED OTHERWISE
  3. 2x6 OR 3x4 STUDS @ 16"O.C. IS REQUIRED FOR ALL BEARING AND SHEAR WALLS 10 FT AND HIGHER.
  4. ALL PLUMBING WALLS SHALL BE 2x6 D.F.#2 @ 16" O.C. MAX.
  5. ALL EXISTING FRAMING AND FOUNDATION IN THIS PLAN ARE NOTED AT THE BEST KNOWLEDGE AND ASSUMPTION. CONTRACTOR SHALL VERIFY THE EXISTING CONDITIONS AND REPORT TO THE ENGINEER AS NECESSARY.

BEAM SIZE	BOLTS A307	SHEAR PLATE	WELD
C6x, C7x	2-3/4"ø	3/8	5/16
WBx, C10x	2-3/4"ø	3/8	5/16




STEEL CHANNEL BEAM CONNECTION



#### TYP. Cx BEAM CONNECTION SCHEDULE

#### CANOPY SUPPORT DETAIL

#### CEILING JOIST TO BEAM



#### CANOPY FRAMING

